



Active System Integration

FTA0099 - Standalone Fingerprint Time and attendance System

Product Description

FTA0099 is an innovative biometric fingerprint reader for time attendance applications, offering unparalleled performance using an advanced algorithm for reliability, precision and excellent matching speed. The T6-C features the fastest commercial-based fingerprint matching algorithm and high-performance, high-image quality optical fingerprint sensor. The 3 Inch TFT can display more information vividly, including fingerprint image quality and verification result etc. TCP/IP communication is standard and make sure the data transmission between terminal and PC can be easily done within several seconds.

Technical Specification



- Dimension(WxHxD): 184.3 X 130 X 48 mm
- User Capacity:3,000
- Transaction Storage :1,00,000
- Processor: 32 Bit
- Communications: RS232 ,RS485, TCP/IP ,USB
- Identification time : < =2S
- FAR: <=0.0001%
- FRR: <=1% Operating
- Temperature : 0 °C - 45 °C
- Operating Humidity : 20%-80%
- Sensor: OEM Optical Sensor 500 DPI
- Card reader: EM RFID(Proximity), Mifare(Optional)
- Power Supply: 5V DC 2A
- Standard Function:9 digit user ID (optional) ,DLST ,Work Code (optional)
- Display: 3 Inch TFT Screen
- Alogrithm Version: 9.0/10.0
- Language: English